

Deviation from Documented Procedures Form Texas DPS Crime Laboratory Houston Blood Alcohol Submissions

Dates of Deviation: 12/13/2022 – 01/12/2023

Type of Deviation: DPS Crime Laboratory Blood Alcohol Outsourcing Part 17

Describe the Deviation:

The Texas Department of Public Safety (DPS) Crime Laboratory Houston offered to test our blood alcohol samples after the BCSO Crime Laboratory withdrew our scope of accreditation with ANAB. Thirty or less samples are selected at a time. This batch includes 22 samples. Our Toxicologist prepares the samples by filling out the DPS Crime Laboratory submission form, ensuring there is sufficient sample for analysis, and moving the evidence to the overflow refrigerator. Investigators from the District Attorney's office are then picking up samples from the laboratory to submit to the DPS Crime Laboratory. Upon completion of analysis, a report is sent to the BCSO Crime Laboratory email and a contact at the District Attorney's office. If there are more cases to be submitted, the cycle repeats and the investigator picks up the previous set of samples, if available, upon submission of the next. A copy of the report from DPS Crime Laboratory Houston, this deviation, and a letter from the BCSO Crime Laboratory Director will be included in every case file.

Reason for Deviation:

The BCSO Crime Laboratory has voluntarily suspended operations and withdrawn our scope of accreditation pertaining to Toxicology, both blood alcohol and blood drug, while we develop new methods. We are still currently accepting biological evidence but not testing at this time. According to the *Texas Administrative Code Title 37 Part 15 Chapter 651 Subchapter A*, accreditation is required of analysis that involves use in a criminal proceeding. Evidence is typically submitted with an offense listed. The BCSO Crime Laboratory could no longer produce reports viable for criminal proceedings.

Laboratory Number(s) (if applicable):

BCCL-22-0276	BCCL-22-1657	BCCL-22-1977
BCCL-22-0321	BCCL-22-1676	BCCL-22-1978
BCCL-22-0417	BCCL-22-1699	BCCL-22-1986
BCCL-22-0880	BCCL-22-1746	BCCL-22-2029
BCCL-22-1153	BCCL-22-1747	BCCL-22-2059
BCCL-22-1361	BCCL-22-1807	BCCL-22-2099
BCCL-22-1453	BCCL-22-1946	
BCCL-22-1509	BCCL-22-1973	

Brazoria County Sheriff's Office Crime Laboratory



Toxicologist

1/12/23
Date

Approval Date: October 26, 2021
Effective Date: October 26, 2021

Issuing Authority: Upper Management
Authorized for Distribution by Laboratory Director

**Texas DPS Crime Laboratory Houston Blood Alcohol Submissions
DPS Crime Laboratory Blood Alcohol Outsourcing Part 17**




Quality Assurance Manager



Date



Laboratory Director



Date